Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 4/20/2021 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : NO 1 AMMONIATED CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : Cleaning/washing agents and additives Function or use category : Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Priory Polishes Unit 6, Deanfield Drive Link 59 Business Park BB7 1QJ Clitheroe, UK T: 01200 425 443

info@priorypolishes.co.uk

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226
Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336
Specific target organ toxicity — Single exposure, Category 3, Respiratory H335

tract irritation

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS05

GHS07

Signal word (CLP)

: Danger

Contains
Hazard statements (CLP)

propan-2-ol; isopropyl alcohol; isopropanol; ammonia%; C9-11 PARETH-6

: H226 - Flammable liquid and vapour.

H314 - Causes severe skin burns and eye damage.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H335 - May cause respiratory irritation.

H336 - May cause drowsiness or dizziness.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P240 - Ground and bond container and receiving equipment.

P261 - Avoid breathing fume.

P280 - Wear protective clothing, eye protection, face protection.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Immediately call a doctor.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

doctor.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	≥ 10 - < 30	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
C9-11 PARETH-6	CAS-No.: 68439-46-3	≥ 5 – < 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
ammonia%	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2 REACH-no: 01-2119488876- 14	≥ 5 – < 10	Skin Corr. 1B, H314 Aquatic Acute 1, H400
trisodium nitrilotriacetate	CAS-No.: 5064-31-3 EC- No.: 225-768-6 EC Index-No.: 607-620-00-6	≥ 0.5 - < 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Carc. 2, H351

Specific concentration limits: see section 16 Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

: Call a physician immediately.

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not

breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

4/20/2021 (Issue date) EN (English) 3/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
United Kingdom - Occupational Exposure Limits		
Local name Propan-2-ol		
WEL TWA (OEL TWA) [1] 999 mg/m³		
WEL TWA (OEL TWA) [2] 400 ppm		
WEL STEL (OEL STEL) 1250 mg/m³		
WEL STEL (OEL STEL) [ppm] 500 ppm		
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):









8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Type Field of application Characteristics Standard			
Safety glasses, Safety goggles	Droplet	clear, Direct-ventilated, Plastic, With side shields	

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin and body protection	
Туре	Standard
Safety shoes	

Hand protection:

Protective gloves

Hand protection					
Type Material Permeation Thickness (mm) Penetration Standard					
Disposable gloves	Nitrile rubber (NBR)				

	Other skin protection Materials for protective clothing		
Condition Material Standard			Standard
	Good resistance:	Natural fibres	

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear, colorless liquid.

Colour : Colourless.
Odour : Amine-like.

Odour threshold : No data available

pH : ≈ 12.5

Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : ≈ 27 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available : No data available Relative density Density : ≈ 0.95 g/cm³ : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) Viscosity, kinematic : No data available Viscosity, dynamic : No data available : No data available Explosive properties : No data available Oxidising properties

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
LD50 oral rat 4700 – 5800 mg/kg		
LD50 dermal rabbit 13000 mg/kg		
LC50 Inhalation - Rat [ppm] 10000 ppm/4h		
Skin corresion/irritation : Causes severe skin hums nH: ~ 12.5		

Skin corrosion/irritation : Causes severe skin burns. pH: ≈ 12.5 Serious eye damage/irritation : Causes serious eye damage. pH: ≈ 12.5

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness. May cause respiratory irritation.

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Not rapidly degradable

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LC50 - Fish [1] 9640 – 10400 mg/l	
EC50 - Crustacea [1]	7550 – 13299 mg/l
IC50, algae > 1000 (72 Hours)	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Bioaccumulative potential	Does not bioaccumulate.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID			
14.1. UN number	14.1. UN number						
UN 2734	UN 2672	Not regulated	UN 2672	UN 2672			
14.2. UN proper shipping name							
AMINES, LIQUID, CORROSIVE,	AMMONIA SOLUTION (CONTAINS : ammonia %FLAMMABLE	Not regulated , N.O.S. (CONTAINS : ammo	AMMONIA SOLUTION (CONTAINS : ammonia onia%)%)	AMMONIA SOLUTION (CONTAINS : ammonia %)			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID		
Transport document description						
UN 2734 AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. (CONTAINS : ammonia %), 8 (3), I, (D/E)	UN 2672 AMMONIA SOLUTION (CONTAINS : ammonia%), 8, III, MARINE POLLUTANT	Not regulated	UN 2672 AMMONIA SOLUTION (CONTAINS : ammonia%), 8, III	UN 2672 AMMONIA SOLUTION (CONTAINS : ammonia%), 8, III		
14.3. Transport hazard o	class(es)					
8 (3)	8	Not regulated	8	8		
8 3	8	Not regulated	8	8		
14.4. Packing group						
I	III	Not regulated	III	III		
14.5. Environmental hazards						
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: Yes	Not regulated	Dangerous for the environment: No	Dangerous for the environment: No		
No supplementary informatio	No supplementary information available					

14.6. Special precautions for user

Overland transport

Classification code (ADR) : CF1
Special provisions (ADR) : 274
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0
Packing instructions (ADR) : P001
Mixed packing provisions (ADR) : MP8, MP17
Portable tank and bulk container instructions (ADR) : T14
Portable tank and bulk container special provisions : TP2, TP27

(ADR)

Tank code (ADR) : L10BH

Vehicle for tank carriage : FL

Transport category (ADR) : 1

Special provisions for carriage - Operation (ADR) : S2, S14

Hazard identification number (Kemler No.) : 883

883 2734

Tunnel restriction code (ADR) : D/E
EAC code : •2W
APP code : A(fl)

Transport by sea

Orange plates

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 IBC special provisions (IMDG) : B11 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP2 EmS-No. (Fire) : F-A : S-B EmS-No. (Spillage)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Stowage category (IMDG) : A

Stowage and handling (IMDG) : SW2, SW5 Segregation (IMDG) : SGG18, SG35

Properties and observations (IMDG) : Colourless liquid with a pungent odour. Corrosive to copper, nickel, zinc and tin and their

alloys such as brass. Not significantly corrosive to iron and steel. Reacts violently with

acids. Liquid and vapour cause burns to skin, eyes and mucous membranes.

Air transport

Not regulated

Inland waterway transport

Classification code (ADN) : C5
Special provisions (ADN) : 543
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C5
Special provisions (RID) : 543
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

France				
Occupational diseases				
Code	Description			
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide			

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1) Hazardous Incident Ordinance (12. BlmSchV)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen None of the components are listed NIET-limitatieve lijst van voor de voortplanting

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: None of the components are listed : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Switzerland

Storage class (LK) : LK 3 - Flammable liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1		
Carc. 2	Carcinogenicity, Category 2		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation		
H225	Highly flammable liquid and vapour.		
H226	Flammable liquid and vapour.		
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damage.		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements		
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H351	Suspected of causing cancer.	
H400	Very toxic to aquatic life.	

Name	Product identifier	Specific concentration limits
ammonia%	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2 REACH-no: 01-2119488876- 14	(5 ≤C ≤ 100) STOT SE 3, H335
trisodium nitrilotriacetate	CAS-No.: 5064-31-3 EC- No.: 225-768-6 EC Index-No.: 607-620-00-6	(5 ≤C ≤ 100) Carc. 2, H351

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.