

CLOCK CASE RESTORER

PRODUCT DESCRIPTION

Clock Case Restorer, is a treatment that removes dirt, grime and will reveal the original finish without damaging the surface patina. It will create a lustre and enhance the original finish on most clock cases.

DIRECTIONS: Shake well before use. Apply sparingly with a Fine Cotton Buffing Cloth or 0000 Wire wool, always work with the grain. Once applied use firm pressure with a clean cloth to lift out the dirt and remove the excess, for difficult corners use a soft bristle brush. Old marks may require several applications.

IMPORTANT: Always test products first on a spare surface or inconspicuous area to check colour, compatibility and end result.

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Product Name: Clock Case Restorer

Composition / Ingredients: Emulsion of polydimethylsiloxane.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Coating and Furniture Restoration.

1.3 Details of the supplier of the safety data sheet

Company Name :	Priory Polishes
Address:	Unit 6, Deanfield Drive, Link 59 Business Park, Clitheroe, Lancashire. BB7 1QJ
Website:	www.priorypolishes.co.uk
Tel:	01200 425443
Email:	info@priorypolishes.co.uk

SECTION 2 : HAZARDS IDENTIFICATION

2.1 Classifications of the substance or mixture

Classification under CLP : Regulation (EC) No.1272/2008

Physical Hazards

Eye Irritant 2: H319
 Skin Sensitivity 1A: H317

Most important adverse effects:

Causes serious eye irritation H319
 May cause an allergic skin reaction. H317

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases and H-statements mentioned in this Section, see Section 16

2.2 Label elements



Signal Word : **WARNING**

Hazard Statements

H317: May cause an allergic skin reaction.
 H319: Causes serious eye irritation.

Precautionary Statements

P261:	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280:	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352:	IF ON SKIN: Wash with plenty of water.
P305+P351+P338:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

	lenses, if present and easy to do. Continue rinsing.
P321:	Specific treatment (see supplemental first aid instruction).
P362+P364:	Take off contaminated clothing and wash it before reuse

2.3 Other hazards

PBT : This product is not identified as a PBT/vPvB substance

SECTION 3 : COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredients:

ALCOHOLS, C9-11-ISO-, C10-RICH,
ETHOXYLATED

1,2-BENZISOTHIAZOL-3(2H)-ONE

2-METHYLISOTHIAZOL-3(2H)-ONE

CLP Classification

Acute Tox.

4: H302; Eye Dam.

1: H318

Acute Tox.

2: H330; Aquatic Chronic

2: H411; Acute Tox.

4: H302; Skin Irrit.

2: H315; Skin Sens.

1: H317; Aquatic Acute

1: H400; Eye Dam.

1: H318

Acute Tox.

3: H301; Acute Tox.

2: H330; Skin Corr.

1B: H314; Eye Dam.

1: H318; Aquatic Acute

1: H400; Aquatic Chronic

1: H410; Skin Sens.

1A:H317; Acute Tox.

3: H311

For the full text of the R-Phrases and H-Statements mentioned in this section, see section 16

SECTION 4 : FIRST AID MEASURES

4.1 Description of first aid measures

General Advice :	Take off all contaminated clothing immediately. Wash immediately with plenty of soap and water.
Skin Contact :	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Eye Contact :	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes
Ingestion :	Call a physician immediately. Clean mouth with water.
Inhalation :	Remove from exposure, lie down. Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Immediate medical attention is required.

4.2 Most important symptoms and effects, both acute and delayed

Skin. There may be irritation and redness at the site of contact.

Eye. There may be irritation and redness. The eyes may water profusely.

Ingestion. There may be soreness and redness of the mouth and throat.

Inhalation. There may be irritation of the throat with a feeling of tightness in the chest.

Exposure may cause coughing or wheezing.

Delayed / immediate effects. Immediate effects can be expected after short-term exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician : Treat symptomatically

Immediate / special treatment: Eye bathing equipment should be available on the premises.

SECTION 5 : FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2 Special hazards arising from the substance or mixture

Combustible material. Flammable. Containers may explode when heated. Toxic fumes. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Combustion Products : Carbon Monoxide (CO), Carbon Dioxide (CO₂)

5.3 Advice for fire-fighters

In the event of fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved and equivalent) and full protective gear. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Take precautionary measures against static discharges. Turn leaking containers leak-side up to prevent the escape of liquid.

For personal protection see Section 8

6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration. If the product contaminates rivers and lakes or drains inform respective authorities. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. If material reaches soil inform authorities responsible for such cases.

6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Remove all sources of ignition.

6.4 Reference to other sections

Reference to other sections : Refer to section 8 and 13

SECTION 7 : HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on Safe Handling: Keep container tightly closed. Handle and open container with care. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Use respirator with appropriate filter if vapours or aerosol are released. Emergency eye wash fountains and emergency showers should be available in the immediate vicinity.

Hygiene Measures: Keep away from food, drink and animal feeding stuffs. Smoking, eating and drinking should be prohibited in the application area. Wash hands before breaks and at the end of workday Take off all contaminated clothing immediately. Provide adequate ventilation. Avoid contact with the skin and the eyes. Do not breathe gas/fumes/vapour/spray.

7.2 Conditions for safe storage, including any incapacibilities

Keep in a dry, cool and well ventilated place.

Storage: Keep tightly closed in a dry and cool place. Protect against light. Protect from Contamination. Keep in a well-ventilated place. Keep away from food, drink and animal feeding stuffs.

7.3 Specific end use(s)

SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

No data available

8.2 Exposure controls

Engineering Measures: Refer to protective measures listed in sections 7 & 8.

Hand Protection: Wear suitable gloves. The glove material has to be impermeable and resistant to the product and should be replaced at first signs of wear. Nitrile rubber, Neoprene, Natural rubber, PVC (see manufacturers recommendations for breakthrough time).

Skin & Body Protection: Wear appropriate protective gloves and clothing to prevent skin exposure.

Eye Protection: Tightly fitting safety goggles.

Respiratory Protection: When workers are facing concentrations above the exposure limit, they must use appropriate certified respirators. To protect the wearer, respiratory equipment must be the correct fit and be used and maintained properly.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice.

Environmental Controls: Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical State :	Liquid
Appearance :	White
Odour :	Slight
Solubility in water :	Miscible
Viscosity:	Non-viscous
Boiling point / range oC :	100oC
Relative density:	1.0
pH:	Approx. 7

9.2 Other Information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1 Reactivity

Reactivity: Stable under recommended storage conditions.

10.2 Chemical stability

Chemical stability: Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4 Conditions to avoid

Exposure to air. Incompatible products. Heat impurities.

10.5 Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6 Hazardous decomposition products

Carbon monoxide (CO) Carbon dioxide (CO₂)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Product Information

Acute Toxicity – Oral / Inhalation / Respiratory :	Hazardous: calculated
Skin Irritation / Eye Damage :	Hazardous: calculated Route: OPT

Other relevant toxicity information :

Symptoms / effects both acute and delayed :

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure

SECTION 12 : ECOLOGICAL INFORMATION

12.1 Toxicity

No data available.

12.2 Persistence and degradability

Biodegradable.

12.3 Bio accumulative potential

Does not bioaccumulate.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

The PBT or cPvB criteria of Annex XIII to the REACH Regulation does not apply to inorganic substances.

12.6 Other adverse effects

Negligible ecotoxicity. Do not flush into surface water or sanitary sewer system.

SECTION 13 : DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal together with normal waste is not allowed. Special disposal required according to local regulations. Do not let product enter drains.

N.B : The user attention is drawn to the existence of regional or national regulations regarding disposal.

SECTION 14 : TRANSPORT INFORMATION

This product does not require a classification for transport.

SECTION 15 : REGULATORY INFORMATION

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture:

The regulatory information given above only indicates their principal regulations specifically applicable to the product described in the safety data sheet. The users attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

5.2 Chemical Safety Assessment

Chemical Safety Assessment : A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

SECTION 16 : OTHER INFORMATION

Full text of H-Statements used in S2 & S3

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H330: Fatal if inhaled.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

Legal Disclaimer : The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Revision Date 19/05/21